

**UNIVERSITI TEKNOLOGI MARA
CAWANGAN PULAU PINANG**

**RENEWABLE ENERGY SOURCE
USING NATURAL DYE
MOLECULAR FOR DYE-
SENSITIZED SOLAR CELLS
EXTRACTED FROM DRAGON
FRUIT AND POMEGRANATE**

FARID AMRI BIN MD FUAD

Faculty of Electrical Engineering

Jan 2016

AUTHOR'S DECLARATION

I declare that the work in the thesis was carried out in accordance with the regulation of Universiti Teknologi MARA. It is original and is the results of my own, unless otherwise indicated or acknowledge as reference work.

I hereby acknowledge that I have been supplied with the Academic Rules and Regulations, Universiti Teknologi MARA, regulating the conduct of my study and research.

Name of student	: Farid Amri bin Md Fuad
Student ID No	: 2012222048
Programme	: Bachelor of Engineering (Hons.) Electrical
Faculty	: Faculty of Electrical Engineering
Thesis Title	: Renewable Energy Source using Natural Dye Molecular for Dye-Sensitized Solar Cells Extracted from Dragon fruit and Pomegranate
Signature of Student	:
Date	: January 2016

ABSTRACT

Dye-sensitized solar cell (DSSC) is a new class of green photovoltaic cell based on photosynthesis principle in nature. DSSCs can be fabricated using different type of dyes as sensitizers which extracted from the nature and our life, such as flowers, leaves, fruits, traditional Chinese medicines, and beverages. In this project, Dragon fruit or the scientific name is *Hylocereus Undatus*, and Pomegranate with the scientific name of *Punica Granatum* were analyzed and tested for natural dye sensitizer. The natural dye extracts from these dye sensitizer were characterized Ultraviolet Visible spectroscopy and Fourier Transform Infrared (FTIR) techniques. Three different DSSCs were fabricated using these dyes along with the mixed (co-sensitize) molecular dye sensitizer. The combination of the pomegranate dye and dragon fruit dye have a highest peak of UV-Vis absorption spectra which is 534.34 nm wavelength that was recorded by UV-Vis spectrophotometer. The FTIR technique can show the chemical compound that contain in the dyes. The range between 3000 cm^{-1} to 3500 cm^{-1} show the Intermolecular H-bond and sharp absorption between 1600 cm^{-1} to 1700 cm^{-1} shows the C=O conjugate vibration. The C-O-C stretching vibration of esters acetates was found at range 900 cm^{-1} to 1100 cm^{-1} . The three peak that have recorded in the FTIR spectroscopy is, first peak is from 3244.04 cm^{-1} to 3252.21 cm^{-1} wavenumber, second peak is from 1629.97 cm^{-1} to 1638.14 cm^{-1} wavenumber, and the last peak is from 1033.37 cm^{-1} to 1061.97 cm^{-1} wavenumber. Based on all of the result that obtain from, the anthocyanins properties are exist instead exist of carbonyl and hydroxyl group. The performance of all the three natural dyes as sensitizers in DSSC was calculated by open circuit voltage (Voc), short circuit current density (Jsc), energy conversion efficiency (η), and fill factor (FF). The highest open-circuit voltage (Voc) is 0.65 V, the fill factor (FF) is 0.58, the power conversion efficiency (η) is 0.46% and the short circuit photocurrent densities (Jsc) is 1.22 mA/cm^2 of the mixed dyed cell that were measured using solar simulator, respectively.

ACKNOWLEDGEMENT

In the name of Allah S.W.T the Most Gracious and Most Merciful, thanks for giving me ideas and strength throughout the completion of this project. Peace upon our Prophet Muhammad S.A.W who has brought light to mankind.

This study would not have been possible without the support of many people. Firstly, I would also thankful to my dear parents and friends who helped me a lot in finalizing this thesis within the limited time frame, and for their understanding, constant encouragement and supports on me in completing this thesis.

Secondly, I would like to express my gratitude to my project supervisor Dr. Mohd Hanapiah bin Abdullah for the useful comments and remarks through the learning process of this thesis. He inspired me greatly to work in this task. I also would like to thank him for showing me some example that related to the topic of my thesis.

Next, I would like to thank laboratory technician at UiTM Shah Alam for introducing me and giving me guidance about Solar Simulator at UiTM Shah Alam.

Finally, I also would like to thank others lecturers, technicians, and UiTM Pulau Pinang staffs for giving me support in completing this study.

TABLE OF CONTENTS

	Page
AUTHOR'S DECLARATION	i
ABSTRACT	ii
ACKNOWLEDGEMENT	iii
TABLE OF CONTENTS	iv
LIST OF TABLES	vi
LIST OF FIGURES	vii
LIST OF SYMBOLS	ix
LIST OF ABBREVIATIONS	x
CHAPTER ONE : INTRODUCTION	1
1.1 Review Of The Study	1
1.1.1 Renewable energy sources versus non-renewable energy sources	1
1.1.2 Introduction to dye sensitized solar cell (DSSC)	1
1.1.3 Introduction to Dyes	2
1.1.4 Basic operation of DSSC	3
1.2 Problem Statement	4
1.3 Objectives	4
1.4 Scope Of Studies	5
1.5 Thesis Organization	6
CHAPTER TWO : LITERATURE REVIEW	8
2.1 Introduction	8
2.2 Dye Sensitized Solar Cell (DSSC)	8
2.3 Dye	12
2.3.1 Dragon Fruit	12
2.3.2 Pomegranate fruit	13